

# Certificate



**No.: 968/CSP 1042.00/25**

<b>Product tested</b>	HiOS Managed Switch	<b>Certificate holder</b>	BELDEN Inc. 1 N. Brentwood Blvd., 15th Floor St. Louis, MO 63105 USA
-----------------------	---------------------	---------------------------	---

<b>Type designation</b>	Switch GREYHOUND GRS-Family
-------------------------	-----------------------------

<b>Codes and standards</b>	IEC 62443-4-2:2019 (Edition 1.0)
----------------------------	----------------------------------

<b>Intended application</b>	The Switch GREYHOUND GRS-Family fulfills the requirements for Network Devices up to Security Level Capability 2 (SL-C 2) according to IEC 62443-4-2:2019 (Edition 1.0) standard.
-----------------------------	--

<b>Specific requirements</b>	The Switch GREYHOUND GRS-Family has been developed and is maintained according to the Secure Product Development Lifecycle of the manufacturer based on the requirements of IEC 62443-4-1:2018 (Edition 1.0) standard.
------------------------------	--

<b>Specific requirements</b>	<p>The Industrial Switch GREYHOUND GRS-Family are only valid in the dedicated security context as documented in the user manuals.</p> <p>The instructions of the associated user manuals released by manufacturer must be considered.</p> <p>The current versions of the product are specified in the currently valid Revision List. The Revision List is released by the manufacturer in cooperation with the certification body.</p>
------------------------------	--

Valid until 2030-09-10

The issue of this certificate is based upon an examination, whose results are documented in Report No. 968/CSP 1042.00/25 dated 2025-09-08.

This certificate is valid only for products which are identical with the product tested.

**TÜV Rheinland Industrie Service GmbH**  
Bereich Automation  
Funktionale Sicherheit  
Am Grauen Stein, 51105 Köln

Köln, 2025-09-10

Certification Body Safety & Security for Automation & Grid

Dipl.-Ing. (FH) Sergei Biberdorf

[www.fs-products.com](http://www.fs-products.com)  
[www.tuv.com](http://www.tuv.com)



### Switch GREYHOUND GRS-Family

Type Designation	Description	HW Revision	FW Revision	Report-No.:	Certification Status
GRS103	26 port Fast Ethernet/Gigabit Ethernet Industrial Workgroup Switch (fix installed: 4 x GE, 6 x FE; via Media Modules 16 x FE), managed, Software HiOS.	2	10.3.x	968/CSP 1042.00/25	Valid
GRS104	GREYHOUND 105 Series, Managed Industrial Switch, fanless design, 19" rack mount, up to 30x GE ports	1	10.3.x	968/CSP 1042.00/25	Valid
GRS105	GREYHOUND 105 Series, Managed Industrial Switch, fanless design, 19" rack mount, up to 6x 1/2.5GE +24x GE ports	1	10.3.x	968/CSP 1042.00/25	Valid
GRS106	GREYHOUND 106 Series, Managed Industrial Switch, fanless design, 19" rack mount, up to 6x 1/2.5/10GE +24x GE ports	1	10.3.x	968/CSP 1042.00/25	Valid
GRS114	GREYHOUND 105 Series, Managed Industrial Switch, fanless design, 19" rack mount, up to 30x GE ports, supporting MACsec	1	10.3.x	968/CSP 1042.00/25	Valid
GRS115	GREYHOUND 105 Series, Managed Industrial Switch, fanless design, 19" rack mount, up to 6x 1/2.5GE +24x GE ports, supporting MACsec	1	10.3.x	968/CSP 1042.00/25	Valid
GRS116	GREYHOUND 106 Series, Managed Industrial Switch, fanless design, 19" rack mount, up to 6x 1/2.5/10GE +24x GE ports, supporting MACsec	1	10.3.x	968/CSP 1042.00/25	Valid
GRS124	GREYHOUND 105 Series, Managed Industrial Switch, fanless design, 19" rack mount, up to 30x GE ports, supporting PoE	1	10.3.x	968/CSP 1042.00/25	Valid
GRS125	GREYHOUND 105 Series, Managed Industrial Switch, fanless design, 19" rack mount, up to 6x 1/2.5GE +24x GE ports, supporting PoE	1	10.3.x	968/CSP 1042.00/25	Valid
GRS126	GREYHOUND 106 Series, Managed Industrial Switch, fanless design, 19" rack mount, up to 6x 1/2.5/10GE +24x GE ports, supporting PoE	1	10.3.x	968/CSP 1042.00/25	Valid

Type Designation	Description	HW Revision	FW Revision	Report-No.:	Certification Status
GRS1042	GREYHOUND 1040 modular switch with up to 28 Gigabit ports, 2.5 Gigabit fiber Uplink technology, Layer 3 option and redundant power supply. PSU on the rear and ports on the front side.	1	10.3.x	968/CSP 1042.00/25	Valid
GRS1142	GREYHOUND 1040 modular switch with up to 28 Gigabit ports, 2.5 Gigabit fiber Uplink technology, Layer 3 option and redundant power supply. Port and PSU on the rear side.	1	10.3.x	968/CSP 1042.00/25	Valid
GRS2020	GREYHOUND 2000 modular switch with up to 34x FE ports, Layer 3 option and redundant power supply. PSU on the rear and ports on the front side.	1	10.3.x	968/CSP 1042.00/25	Valid
GRS2030	GREYHOUND 2000 modular switch with 2x GE ports and up to 32x FE ports, Layer 3 option and redundant power supply. PSU on the rear and ports on the front side.	1	10.3.x	968/CSP 1042.00/25	Valid
GRS2040	GREYHOUND 2000 modular switch with up to 34x GE ports, Layer 3 option and redundant power supply. PSU on the rear and ports on the front side.	1	10.3.x	968/CSP 1042.00/25	Valid
GRS2050	GREYHOUND 2000 modular switch with 2x 1/2.5GE and up to 32x GE ports, Layer 3 option and redundant power supply. PSU on the rear and ports on the front side.	1	10.3.x	968/CSP 1042.00/25	Valid
GRS2060	GREYHOUND 2000 modular switch with 2x 1/2.5/10GE and up to 32x GE ports, Layer 3 option and redundant power supply. PSU on the rear and ports on the front side.	1	10.3.x	968/CSP 1042.00/25	Valid
GRS2120	GREYHOUND 2000 modular switch with up to 34x FE ports, Layer 3 option and redundant power supply. PSU on the rear and ports on the front side.	1	10.3.x	968/CSP 1042.00/25	Valid
GRS2130	GREYHOUND 2000 modular switch with 2x GE ports and up to 32x FE ports, Layer 3 option and redundant power supply. Port and PSU on the rear side.	1	10.3.x	968/CSP 1042.00/25	Valid

Type Designation	Description	HW Revision	FW Revision	Report-No.:	Certification Status
GRS2140	GREYHOUND 2000 modular switch with up to 34x GE ports, Layer 3 option and redundant power supply. Port and PSU on the rear side.	1	10.3.x	968/CSP 1042.00/25	<i>Valid</i>
GRS2150	GREYHOUND 2000 modular switch with 2x 1/2.5GE and up to 32x GE ports, Layer 3 option and redundant power supply. Port and PSU on the rear side.	1	10.3.x	968/CSP 1042.00/25	<i>Valid</i>
GRS2160	GREYHOUND 2000 modular switch with 2x 1/2.5/10GE and up to 32x GE ports, Layer 3 option and redundant power supply. Port and PSU on the rear side.	1	10.3.x	968/CSP 1042.00/25	<i>Valid</i>

**The content of this Revision List has been agreed between Manufacturer and Certification Body.**

**Note:** To be informed about the latest product-related security notification the website <https://www.belden.com/security> of product manufacturer shall be visited periodically.

### Revision:

Date	Rev.	Description / Changes	Author
2025-09-08	1.0	Initial assessment based on Report 968/CSP 1042.00/25	TUV-Ti