

Certificate



No.: 968/CSP 1056.00/25

Product tested	Industrial Switch	Certificate holder	BELDEN Inc. 1 N. Brentwood Blvd., 15th Floor St. Louis, MO 63105 USA
-----------------------	-------------------	---------------------------	---

Type designation	Switch RSP/RSPE-Family Switch OCTOPUS II-Family
-------------------------	--

Codes and standards	IEC 62443-4-2:2019 (Edition 1.0)
----------------------------	----------------------------------

Intended application	The RSP/RSPE-Family and OCTOPUS II-Family fulfills the requirements for Network Devices up to Security Level Capability 1 (SL-C 1) according to IEC 62443-4-2:2019 (Edition 1.0) standard.
-----------------------------	--

The RSP/RSPE-Family and OCTOPUS II-Family has been developed and is maintained according to the Secure Product Development Lifecycle of the manufacturer based on the requirements of IEC 62443-4-1:2018 (Edition 1.0) standard.

Specific requirements	The Industrial Switches RSP/RSPE-Family and OCTOPUS II-Family are only valid in the dedicated security context as documented in the user manuals.
------------------------------	---

The instructions of the associated user manuals released by manufacturer must be considered.

The current versions of the product are specified in the currently valid Revision List. The Revision List is released by the manufacturer in cooperation with the certification body.

Valid until 2030-10-29

The issue of this certificate is based upon an evaluation in accordance with the Certification Program CERT CS1 V3.0:2021 in its actual version, whose results are documented in Report No. 968/CSP 1056.00/25 dated 2025-10-29. This certificate is valid only for products, which are identical with the product tested. Issued by the certification body accredited by DAkkS according to DIN EN ISO/IEC 17065. The accreditation is only valid for the scope listed in the annex to the accreditation certificate D-ZE-11052-02-03.

TÜV Rheinland Industrie Service GmbH
Bereich Automation
Funktionale Sicherheit
Am Grauen Stein, 51105 Köln

Köln, 2025-10-29

Certification Body Safety & Security for Automation & Grid

Dipl.-Ing. (FH) Sergei Biberdorf

www.fs-products.com
www.tuv.com



OCTOPUS 3-Family

Type Designation	Description	HW Revision	FW Revision	Report-No.:	Certification Status
RSP20	Rail Switch Power - Hardened, compact managed industrial DIN rail switch with 11x 100 Mbit/s ports.	3	10.3.x	968/CSP 1056.00/25	<i>Valid</i>
RSP25	Rail Switch Power - Hardened, compact managed industrial DIN rail switch with enhanced redundancy options and 11x 100 Mbit/s ports.	3	10.3.x	968/CSP 1056.00/25	<i>Valid</i>
RSP30	Rail Switch Power - Hardened, compact managed industrial DIN rail switch with 3x 1 Gbit/s + 8x 100 Mbit/s ports.	3	10.3.x	968/CSP 1056.00/25	<i>Valid</i>
RSP35	Rail Switch Power - Hardened, compact managed industrial DIN rail switch with enhanced redundancy options and 3x 1 Gbit/s + 8x 100 Mbit/s ports.	3	10.3.x	968/CSP 1056.00/25	<i>Valid</i>
RSPE30	Rail Switch Power Enhanced - Hardened, compact managed industrial DIN rail switch with 4x 1 Gbit/s + up to 24x 100 Mbit/s ports.	2	10.3.x	968/CSP 1056.00/25	<i>Valid</i>
RSPE32	Rail Switch Power Enhanced - Hardened, compact managed industrial DIN rail switch with PoE support and 4x 1 Gbit/s + up to 24x 100 Mbit/s ports.	2	10.3.x	968/CSP 1056.00/25	<i>Valid</i>

Type Designation	Description	HW Revision	FW Revision	Report-No.:	Certification Status
RSPE35	Rail Switch Power Enhanced - Hardened, compact managed industrial DIN rail switch with enhanced redundancy options and 4x 1 Gbit/s + up to 24x 100 Mbit/s ports.	2	10.3.x	968/CSP 1056.00/25	<i>Valid</i>
RSPE37	Rail Switch Power Enhanced - Hardened, compact managed industrial DIN rail switch with enhanced redundancy options, PoE support and 4x 1 Gbit/s + up to 24x 100 Mbit/s ports.	2	10.3.x	968/CSP 1056.00/25	<i>Valid</i>

MSP40-Family

Type Designation	Description	HW Revision	FW Revision	Report-No.:	Certification Status
OS20	Octopus Managed IP65/67 switch with up to 28x 100 Mbit/s ports.	2	10.3.x	968/CSP 1056.00/25	<i>Valid</i>
OS24	Octopus Managed IP65/67 switch with PoE support and up to 28x 100 Mbit/s ports.	2	10.3.x	968/CSP 1056.00/25	<i>Valid</i>
OS30	Octopus Managed IP65/67 switch with up to 4x 1 Gbit/s + 24x 100 Mbit/s ports.	2	10.3.x	968/CSP 1056.00/25	<i>Valid</i>
OS34	Octopus Managed IP65/67 switch with PoE support and up to 4x 1 Gbit/s + 24x 100 Mbit/s ports.	2	10.3.x	968/CSP 1056.00/25	<i>Valid</i>



Revision List
referred to on Certificate No.: 968/CSP 1056.00/25
Certified Product: RSP/RSPE-Family and
OCTOPUS II-Family



The content of this Revision List has been agreed between Manufacturer and Certification Body.

Note: To be informed about the latest product-related security notification the website <https://www.belden.com/security> of product manufacturer shall be visited periodically.

Revision:

Date	Rev.	Description / Changes	Author
2025-10-29	1.0	Initial assessment based on Report 968/CSP 1056.00/25	TUV-Ti