

TYPE APPROVAL CERTIFICATE

This is to certify:**That the DC Power Supply**

with type designation(s)
RPS 30, RPS 80 , RPS 120 DIN-Rail Power Supplies

Issued to

Hirschmann Automation and Control GmbH
Neckartenzlingen, Baden-Württemberg, Germany

is found to comply with
DNV GL rules for classification – Ships, offshore units, and high speed and light craft

Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

Temperature	D
Humidity	B
Vibration	A
EMC	A
Enclosure	A

Issued at **Hamburg** on **2020-02-12**

for **DNV GL**

This Certificate is valid until **2024-09-04**.

DNV GL local station: **Augsburg**

Approval Engineer: **Didier Girardin**

Joannis Papanuskas
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.



Job Id: **262.1-032354-1**
Certificate No: **TAA00002HU**

Product description

DIN Rail Power Supply

RPS30 Power Supply,
Input : 100 to 240 VAC; Frequency: 47...63Hz
Output: 24...28VDC / 30W

RPS 80 EEC Power Supply,
Input : 100 to 240 VAC
Output: 24...28VDC / 80W

RPS 120 EEC Power Supply,
Input : 100 to 240 VAC
Output: 24...28VDC / 120W

Application/Limitation

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV GL, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV GL Rules for Ships Pt.4 Ch.9 Control and Monitoring Systems.

Product certificate

If specified in the Rules, ref. Pt.4 Ch.9 Sec.1, the control and monitoring system in which the above listed hardware is used shall be delivered with a product certificate. For each such delivery the certification test is to be performed at the manufacturer of the application system before the system is shipped to the yard

Derating of output power due to mounting position and ambient temperature may apply. Manufacturers specification is to be observed.

Type Approval documentation

Hidden

Renewal of 7509509 HH as MuLi of PULS TAA00002JT
Test report PULS AN-327.030.00-XV, Issue 2, dated 2004-09-04 with
Appendices SLG: A9.x, A16.x, A22.x, A22.x-2,
Appendices PULS: A20.x, A21.x;
Technical data sheet RPS 30, circuit diagram;
Add Test report: PULS AN-327.030.00-XV, rev. 1.

Renewal of 33 179 - 06 HH as MuLi of PULSTAA00002JT
Test report: Puls AN-347.030.00-XV, issue 1, dated 2005-02-22 with appendices,
SLG EMV, ESCS 30, Nr. 005, dated 2004-12-28,
Dry Heat: AN-347.030.00-XV, AN-339.030-XV, dated **2015-01-26**,
Puls AN-339.030.00-XV, issue 1, dated 2005-02-22 with appendices

Tests carried out

Applicable tests according to DNV GL CG-0339, 2016.

Marking of product

The products to be marked with:

- manufacturer name,
- model type,
- serial number,
- power supply ratings.

Job Id: **262.1-032354-1**
Certificate No: **TAA00002HU**

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines

- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3,5 years and at renewal of this certificate.

END OF CERTIFICATE