



HIRSCHMANN

Hirschmann Automation and Control GmbH

Eagle40-6M HiSecOS Rel. 05101

Reference Manual
Graphical User Interface

User Manual
Configuration



















+

-

















✓











+







≡

≡

≡

≡

























+

x







\mathbb{B}^+

\mathbb{B}^{\times}

\mathbb{B}^+





田+







+

x





















✓







+

x











□

+

-



+

x












Ⓜ
+

Ⓜ
x











甲
+





B+

Bx
























B+

B×









































A series of horizontal lines for writing, consisting of 20 evenly spaced lines.

Ⓜ
+


















Lined writing area consisting of 16 horizontal black lines.

























A series of horizontal lines for writing, consisting of 20 evenly spaced lines extending across the page.





A series of 20 horizontal black lines spaced evenly down the page, providing a template for writing or drawing.



















A series of horizontal lines for writing, starting with a thin black line immediately below the blue bar, followed by 30 more thin black lines spaced evenly down the page.











- ██████████

- ██████████

- ██████████

- ██████████

- ██████████

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]

- [REDACTED]









Ⓜ
+

Ⓜ
x



[Blue shaded header bar]

[Lined writing area 1]

[Lined writing area 2]

[Lined writing area 3]

[Lined writing area 4]

[Lined writing area 5]

[Lined writing area 6]

[Lined writing area 7]

Blank header bar

Blank lined section 1

Blank lined section 2

Blank lined section 3

Blank lined section 4

Blank lined section 5

Blank lined section 6

Blank lined section 7

Blank lined section 8

Blank lined section 9

Blank lined writing area

A series of horizontal lines for writing, starting with a light blue header bar at the top. The lines are evenly spaced and extend across the width of the page.

Blank header bar

Blank lined section 1 (4 lines)

Blank lined section 2 (2 lines)

Blank lined section 3 (3 lines)

Blank lined section 4 (2 lines)

Blank lined section 5 (3 lines)

Blank lined section 6 (2 lines)

Blank lined section 7 (3 lines)

Blank lined section 8 (2 lines)

Blank lined section 9 (3 lines)

Blank lined section 10 (2 lines)

Blank lined section 11 (3 lines)

##

[Redacted header bar]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Blue header bar]

[Lined text block 1]

[Lined text block 2]

[Lined text block 3]

[Lined text block 4]

[Lined text block 5]

[Lined text block 6]

[Lined text block 7]

[Lined text block 8]

[Blue shaded header bar]

[Lined writing area 1]

[Lined writing area 2]

[Lined writing area 3]

[Lined writing area 4]

[Lined writing area 5]

[Blue shaded header bar]

[Lined writing area 1]

[Lined writing area 2]

[Lined writing area 3]

[Lined writing area 4]

[Lined writing area 5]

[Lined writing area 6]

[Redacted header bar]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Redacted text block]

[Blue shaded header bar]

[Lined writing area with 20 horizontal lines]

[Lined writing area with 6 horizontal lines]

[Lined writing area with 10 horizontal lines]

[Bottom horizontal line]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]























































B+

Bx



























\mathbb{R}^+

\mathbb{R}^{\times}











×









B+

Bx













+

x



B+

Bx













Ⓜ
+







⌘ +



\mathbb{B}^+

\mathbb{B}^{\times}





\mathbb{R}^+

\mathbb{R}^{\times}



+

x

















×

×




+


x














Ⓜ
+

Ⓜ
x







⊕


⊗














⊕



⊗













Ⓚ
+

✕



















+

x





□

+



+

x



























\mathbb{R}^+

\mathbb{R}^{\times}





⌘ +

+

x







+









A series of horizontal lines for writing, consisting of 20 evenly spaced black lines.



HIRSCHMANN



































[Blue shaded bar]






0	Net ID - 7 bits	Host ID - 24 bits	Class A		
1	0	Net ID - 14 bits	Host ID - 16 bits	Class B	
1	1	0	Net ID - 21 bits	Host ID - 8 bits	Class C
1	1	1	0	Multicast Group ID - 28 bits	Class D
1	1	1	1	reserved for future use - 28 bits	Class E

Decimal notation
255.255.192.0

Binary notation
11111111.11111111.11000000.00000000



Decimal notation

129.218.65.17

└─── 128 < 129 191 > Class B

Binary notation

10000001.11011010.01000001.00010001

└─── Subnetwork 1
└─── Network address

Decimal notation


129.218.129.17



└─── 128 < 129 191 > Class B


Binary notation

10000001.11011010.10000001.00010001

└─── Subnetwork 2
└─── Network address



IP address, decimal	Network mask, decimal	IP address, binary
192.168.112.1	255.255.255.128	11000000 10101000 01110000 00000001
192.168.112.127		11000000 10101000 01110000 01111111
		 25 mask bits
CIDR notation: 192.168.112.0/25		
	 Mask bits	



```
NOTE: Enter '?' for Command Help. Command help displays all opt  
that are valid for the particular mode.  
For the syntax of a particular command form, please  
consult the documentation.
```

```
! ( )>
```



Id	MAC Address	Writable	IP Address	Net Mask	Default Gateway	Product	Name
1	00:80:63:A4:CC:00	<input checked="" type="checkbox"/>	10.115.0.76	255.255.224.0	10.115.0.3		
2	00:80:63:C0:50:00	<input type="checkbox"/>	10.115.0.33	255.255.224.0	10.115.0.3		
3	00:80:63:A3:40:00	<input type="checkbox"/>	10.115.0.70	255.255.224.0	10.115.0.3		
4	00:80:63:98:14:00	<input type="checkbox"/>	10.115.0.17	255.255.224.0	10.115.0.3		
5	00:80:63:9E:E4:00	<input type="checkbox"/>	0.0.0.0	0.0.0.0	0.0.0.0		
6	00:80:63:46:00:06	<input checked="" type="checkbox"/>	192.168.2.181	255.255.255.0	192.168.2.1		
7	00:80:63:A3:40:40	<input type="checkbox"/>	10.115.0.59	255.255.224.0	10.115.0.3		
8	00:80:63:A4:CC:40	<input type="checkbox"/>	10.115.0.81	255.255.224.0	10.115.0.3		
9	00:80:63:6E:38:4E	<input checked="" type="checkbox"/>	192.168.2.174	255.255.255.0	192.168.2.1		
10	00:80:63:18:2A:61	<input checked="" type="checkbox"/>	192.168.2.170	255.255.255.0	192.168.2.1		
11	00:80:63:A3:40:80	<input type="checkbox"/>	10.115.0.66	255.255.224.0	10.115.0.3		
12	00:80:63:A4:CC:80	<input type="checkbox"/>	10.115.0.80	255.255.224.0	10.115.0.3		
13	00:80:63:61:AC:81	<input checked="" type="checkbox"/>	192.168.2.176	255.255.255.0	192.168.2.1		
14	00:80:63:98:10:95	<input type="checkbox"/>	10.115.0.22	255.255.224.0	10.115.0.3		
15	00:80:63:61:AC:AB	<input checked="" type="checkbox"/>	192.168.2.40	255.255.255.0	192.168.2.1		
16	00:80:63:3B:5C:BD	<input checked="" type="checkbox"/>	192.168.2.178	255.255.255.0	192.168.2.1		
17	00:80:63:A3:40:C0	<input type="checkbox"/>	10.115.0.72	255.255.224.0	10.115.0.3		
18	00:80:63:8F:2C:BE	<input type="checkbox"/>	10.115.0.40	255.255.224.0	10.115.0.3		
19	00:80:63:88:38:EC	<input checked="" type="checkbox"/>	192.168.110.92	255.255.255.0	0.0.0.0		
20	00:80:63:9B:11:00	<input type="checkbox"/>	10.115.0.35	255.255.224.0	10.115.0.3		
21	00:80:63:A4:CD:00	<input type="checkbox"/>	10.115.0.77	255.255.224.0	10.115.0.3		
22	00:80:63:99:41:08	<input type="checkbox"/>	10.115.0.13	255.255.224.0	10.115.0.3		
23	00:80:63:17:35:08	<input checked="" type="checkbox"/>	192.168.2.164	255.255.255.0	192.168.2.1		
24	00:80:63:44:19:2E	<input checked="" type="checkbox"/>	10.115.5.130	255.255.224.0	10.115.0.3		

Properties

MAC Address: 00:80:63:A3:40:00

Name: Power Unit 1 Switch 2

IP Configuration

IP Address: 10 . 115 . 0 . 70 Set Default ()

Net Mask: 255 . 255 . 224 . 0 Set Default ()

Default Gateway: 10 . 115 . 0 . 3 Set Default ()

Save As Default

OK Cancel





















+





0
x







+


+

+
































+






⌘+













=
















≡



































⌘ +






田+


田+

✓












B+









B+




























⌘
+











田+





























B+










B+










B+













B+












B+











⌘+

⌘+

✓

✓








+



























B+







[Blue header bar]

[Lined text area 1]

[Blue header bar]

[Lined text area 2]

[Blue header bar]

[Lined text area 3]
























IP address, decimal	Network mask, decimal	IP address, binary
149.218.112.1	255.255.255.128	10010101 11011010 01110000 00000001
149.218.112.127		10010101 11011010 01110000 01111111
		----- 25 mask bits -----


CIDR notation: 149.218.112.0/25

└----- Mask bits









































⌘+


















00:00:5e:00:01:xx


variable element = VRID
constant element










































































B+







+






















+






⌘+









⊞
+









⊞+

⊞+






$B+$

$B+$

✓







⌘ +
























⌘












田+




































A series of horizontal black lines spaced evenly down the page, providing a template for text entry.



HIRSCHMANN